

⚡ SESSION MANAGEMENT		📄 CONTEXT & INFORMATION		🧠 MODEL & MODE CONTROL	
<code>/clear</code>	Wipe all conversation history <code>/reset</code> <code>/new</code>	<code>/context</code>	Visual grid of context window usage	<code>/model [name]</code>	Switch model (← → to adjust effort)
<code>/compact [focus]</code>	Summarize context, keep key info	<code>/cost</code>	Token usage & cost stats for session	<code>/effort [level]</code>	Set <code>low</code> / <code>medium</code> / <code>high</code> / <code>max</code> / <code>auto</code>
<code>/resume [id]</code>	Resume a past session / <code>continue</code>	<code>/usage</code>	Show plan usage limits	<code>/fast [on off]</code>	Toggle speed-optimized mode
<code>/rename [name]</code>	Name the current session	<code>/diff</code>	Interactive diff viewer for changes	<code>/plan [desc]</code>	Enter read-only reasoning mode (no edits)
<code>/branch [name]</code>	Fork conversation at this point <code>/fork</code>	<code>/doctor</code>	Diagnose installation & config issues	<code>/sandbox</code>	Toggle sandboxed code execution
<code>/rewind</code>	Roll back to an earlier checkpoint <code>/checkpoint</code>	<code>/insights</code>	Analyze session patterns & friction		
<code>/export [file]</code>	Export conversation as text	<code>/pr-comments [PR]</code>	Fetch GitHub PR comments		
<code>/copy [N]</code>	Copy last (or Nth) response to clipboard	<code>/release-notes</code>	View full changelog		
<code>/exit</code>	Exit Claude Code <code>/quit</code>	<code>/help</code>	List all available commands		

⚙️ CONFIG & PERMISSIONS		🔌 EXTENSIONS & INTEGRATIONS		🎯 BUNDLED SKILLS	
<code>/config</code>	Open settings UI <code>/settings</code>	<code>/mcp</code>	Manage MCP server connections	<code>/simplify</code>	3-agent parallel code review (replaces <code>/review</code>)
<code>/permissions</code>	Manage allow/ask/deny rules <code>/allowed-tools</code>	<code>/plugin</code>	Install / remove plugins	<code>/batch <task></code>	Run a task across multiple files
<code>/memory</code>	Edit CLAUDE.md & auto-memory	<code>/reload-plugins</code>	Hot-reload plugins without restart	<code>/debug</code>	Structured debugging workflow
<code>/init</code>	Bootstrap project with CLAUDE.md	<code>/agents</code>	Manage sub-agent configurations	<code>/security-review</code>	Scan branch diff for vulnerabilities
<code>/hooks</code>	View lifecycle hook configs	<code>/chrome</code>	Configure browser automation	<code>/loop [interval] ...</code>	Recurring prompt — e.g. <code>/loop 5m check deploy</code>
<code>/keybindings</code>	Open keybinding config file	<code>/ide</code>	Manage IDE integrations	<code>/schedule [desc]</code>	Create a cloud-scheduled task
<code>/login</code>	Sign in to Anthropic account	<code>/install-github-app</code>	Set up Claude GitHub Actions	<code>/btw <question></code>	Quick side question — zero context cost
<code>/logout</code>	Sign out	<code>/install-slack-app</code>	Install Claude for Slack	<code>/claude-api</code>	Helpers for Anthropic API integration
<code>/color [color]</code>	Set prompt bar color for this session	<code>/add-dir <path></code>	Add working directory this session		
		<code>/remote-control</code>	Enable remote from <code>claude.ai /rc</code>		

🚩 CLI FLAGS (TERMINAL)		
<code>claude -p "prompt"</code>	Non-interactive single prompt, then exit	<code>--append-system-prompt "..."</code> Append text to the system prompt
<code>--output-format json</code>	Structured output: <code>json</code> / <code>stream-json</code> / <code>text</code>	<code>--system-prompt-file f.md</code> Replace system prompt from file
<code>--model <name></code>	Choose model at launch	<code>--continue</code> Resume the most recent conversation
<code>--allowedTools "Bash,Read"</code>	Pre-approve specific tools	<code>--resume <id></code> Resume a specific session by ID
<code>--permission-mode acceptEdits</code>	Auto-accept all file writes	<code>--json-schema '{...}'</code> Enforce a structured output schema
<code>--dangerously-skip-permissions</code>	No approval prompts — CI/cron only	<code>--bare</code> Skip hooks / skills / MCP discovery

🗂️ KEYBOARD SHORTCUTS		🔧 CUSTOM COMMANDS	
<code>Esc</code>	Cancel generation / exit menu	<code>Shift+Tab</code>	Cycle: normal → auto → plan mode
<code>Ctrl+O</code>	Toggle verbose / thinking output	<code>Ctrl+R</code>	Reverse-search command history
<code>Ctrl+F, Ctrl+F</code>	Kill all background agents (press twice)	<code>@file</code>	Attach file or directory to context
<code>!command</code>	Run shell with conversation context	<code>/vim</code>	Enable vim keybindings in prompt
PROJECT-LEVEL (GIT-TRACKED)		<code>.claude/commands/</code> Shared with team via git	
PERSONAL (ACROSS ALL PROJECTS)		<code>~/claude/commands/</code> Available in every project	
MCP SERVER COMMANDS		<code>/mcp_server_prompt</code> Format for connected MCP prompts	
FRONTMATTER OPTIONS		<code>allowed-tools:</code> Pre-approve tools for this command	
		<code>model:</code> Override model per command	
		<code>context: fork</code> Run in isolated sub-agent context	
SARGUMENTS		Injects everything typed after command	

/compact vs /clear Compact at ~80% context to summarize history. Clear when switching to an entirely unrelated task.	Effort levels <code>low</code> = fast & cheap · <code>high</code> = thorough reasoning · <code>max</code> = Opus deep think (session only)	/loop syntax <code>/loop 5m check deploy status</code> — supports <code>s m h d</code> units. Session-scoped; stops on exit.	CLAUDE.md Run <code>/init</code> first in every new project. Claude reads it at session start as a persistent project brief.
--	--	--	--

